


## Uponor Thermatop M 2150X277mm

**1090936**

- Emitter made of 16 x 2,0 mm Uni Pipe PLUS with 10 pipe rows and up to 37,3 m per m<sup>2</sup> module.
- For grid distances of CD-profiles of 333mm
- The pipe is 100% diffusion-resistant according to DIN 4726.
- Cooling capacity according to EN 14240 (8K) up to 67 W/m<sup>2</sup>
- Heating capacity according to EN 14037 (15K) up to 105 W/m<sup>2</sup>.
- Sound absorption according to DIN EN ISO 354 with  $\alpha_w$  between 0,60 to 0,65.
- Capacity and acoustic values depending on gypsum board.



### Application information Uponor Thermatop M

#### Specification


- Water-based radiant ceiling heating and cooling system
- Prefabricated ceiling emitters for dry construction
- Tool-free installation into CD ceiling profiles
- Designed for low-temperature heating and efficient cooling

#### Application

- Radiant ceiling heating and cooling in commercial and public buildings
- Use in offices, schools, healthcare buildings and large open spaces
- Integration into suspended plasterboard ceiling systems
- Heating and cooling with one water-based solution

## Uponor Thermatop M 2150X277mm

1090936



### Measurements

Distance center center 1	27,7
Distance center center	24,3
LENGTH_L	277
Length (l1)	17,4
Wall thickness_s	47
Z Measurement b	2150

### Product code

Item no EAN	6414905222018
Item no GF	35001090936
Item no GTIN	06414905222018

### Dimensions

Item Unit Height	39
Item Unit Length	2150
Item Unit Weight	2,61
Item Unit Width	277
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414905269303
Packaging GTIN PL4	06414905277148
Packaging Height PL1	310
Packaging Height PL4	1700
Packaging Length PL1	2190
Packaging Length PL4	2190
Packaging Quantity PL1	10
Packaging Quantity PL4	200
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet

Packaging Volume PL1	0,20367
Packaging Volume PL4	4,4676
Packaging Weight PL1	26,2
Packaging Weight PL4	552,22
Packaging Width PL1	300
Packaging Width PL4	1200

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)