


Uponor Ecoflex shrink tape 160mm x 10m

1093120

- Shrinkable tape use for sealing damaged casing pipes



Application information Uponor Ecoflex shrink tape

Specification

- All accessories are corrosion resistant.

Application


- Ecoflex accessories are designed to complete the assortment in buried installation.

Certification

- Approvals should be checked by local responsible person

Uponor Ecoflex shrink tape 160mm x 10m

1093120



Product code

Item no EAN	6414905228607
Item no GF	35001093120
Item no GTIN	06414905228607
Item no LVI	3010159
Item no NRF	8360939
Item no RSK	2282726
Item no VVS	087855910

Dimensions

Item Unit Height	150
Item Unit Length	160
Item Unit Weight	2,4
Item Unit Width	150
Item_UOM	pce

Measurements

Length	10
--------	----

Technical data

Recycling Text Block PL1	Low density polyethylene
--------------------------	--------------------------

Packaging

Packaging GTIN PL1	06414905552177
Packaging GTIN PL4	06414905543694
Packaging Height PL1	180
Packaging Height PL4	800
Packaging Length PL1	330
Packaging Length PL4	1200
Packaging Material (number) PL1	4
Packaging Material PL1	Low density polyethylene
Packaging Material (short) PL1	LDPE

Packaging Quantity PL1	1
Packaging Quantity PL4	30
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,013662
Packaging Volume PL4	0,768
Packaging Weight PL1	2,65
Packaging Weight PL4	90
Packaging Width PL1	230
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com