

## Uponor Ecoflex Supra Pipe 90x8,2/175

**1095728**

- Cold potable water and cooling
- One medium pipe PE 100 RC black, SDR 11
- Max. load 16 bar / 20°C
- PEX foam, HDPE casing



### Application information Uponor Ecoflex Supra Pipe

#### Specification

- Flexible, pre-insulated, self-compensating plastic pipe system
- Medium pipe: Polyethylene PE100 RC, PN 16 (SDR 11) black with blue stripes
- Insulating material: Closed-cell PE-X foam, permanently elastic, ageing-resistant
- Casing pipe: Corrugated polyethylene (HDPE)

#### Application

- Transport of cold potable or cooling water for buried installations.
- Operating temperature +20°C
- Static verification for heavy traffic load of 60 tons

#### Certification

- Approvals should be checked by local responsible person

## Uponor Ecoflex Supra Pipe 90x8,2/175

1095728



### Measurements

|                    |     |
|--------------------|-----|
| Bending radius M   | 1   |
| Outer Diameter_do  | 175 |
| Outer Diameter_do1 | 90  |
| Wall thickness_s1  | 8,2 |

### Product code

|              |                |
|--------------|----------------|
| Item no EAN  | 6414905486441  |
| Item no GF   | 35001095728    |
| Item no GTIN | 06414905486441 |
| Item no NRF  | 8361429        |

### Dimensions

|                  |      |
|------------------|------|
| Item Unit Height | 175  |
| Item Unit Length | 1000 |
| Item Unit Weight | 3,14 |
| Item Unit Width  | 175  |
| Item_UOM         | m    |

### Packaging

|                        |                |
|------------------------|----------------|
| Packaging GTIN PL1     | 06414905537945 |
| Packaging Height PL1   | 2200           |
| Packaging Length PL1   | 2200           |
| Packaging Quantity PL1 | 100            |
| Packaging Type PL1     | Coil           |
| Packaging Volume PL1   | 6,292          |
| Packaging Weight PL1   | 314            |
| Packaging Width PL1    | 1300           |

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211  
E  
communications@georgfischer.  
com