

Uponor Klett MLCP red pipe 16x2,0 240m

1096014

- Material: multilayer pipe
- in coils



Application information Uponor Klett MLCP red pipe

Specification

- Klett underfloor heating panel system, consists of Klett-foil for hook- and loop fixation laminated onto EPS according to EN 13163 and DIN 4108-10.
- based on hook- and loop fixation of Klett-pipes to insulation panels
- EN 13501-1 fire classification: class E
- standard flammability, building-material class B2, conforming to DIN 4102
- with self-adhesive tape at long side
- foil on the panel is printed with 100x100mm grid pattern

Application

- radiant underfloor heating and cooling
- for use with cement- and anhydrite-based screeds

Certification

- DIN CERTCO: 3V372 PE-Xa; 7F235-F; 7F236-F; 7F342-F

Uponor Klett MLCP red pipe 16x2,0 240m

1096014

**Product code**

Item no EAN	6414905480609
Item no GF	35001096014
Item no GTIN	06414905480609

Dimensions

Item Unit Height	16
Item Unit Length	1000
Item Unit Weight	0,11
Item Unit Width	16
Item_UOM	m

Measurements

Outer Diameter_do	16
Wall thickness_s	2,0

Packaging

Packaging GTIN PL1	06414905481040
Packaging GTIN PL4	06414905481057
Packaging Height PL1	295
Packaging Height PL4	2000
Packaging Length PL1	790
Packaging Length PL4	1200
Packaging Quantity PL1	240
Packaging Quantity PL4	1920
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,1841095
Packaging Volume PL4	1,92
Packaging Weight PL1	28,4538
Packaging Weight PL4	240,6301
Packaging Width PL1	790

Packaging Width PL4

800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com