


Uponor Klett pipe MLCP Red 16x2,0 480m

1096015

- Material: multilayer pipe
- in coils



Application information Uponor Klett pipe MLCP Red

Specification

- Klett underfloor heating panel system, consists of Klett-foil for hook- and loop fixation laminated onto EPS according to EN 13163 and DIN 4108-10.
- based on hook- and loop fixation of Klett-pipes to insulation panels
- EN 13501-1 fire classification: class E
- standard flammability, building-material class B2, conforming to DIN 4102
- with self-adhesive tape at long side
- foil on the panel is printed with 100x100mm grid pattern

Application

- radiant underfloor heating and cooling
- for use with cement- and anhydrite-based screeds

Certification

- DIN CERTCO: 3V372 PE-Xa; 7F235-F;7F236-F; 7F342-F

Uponor Klett pipe MLCP Red 16x2,0 480m

1096015



Product code

Item no EAN	6414905480616
Item no GF	35001096015
Item no GTIN	06414905480616

Dimensions

Item Unit Height	16
Item Unit Length	1000
Item Unit Weight	0,1100
Item Unit Width	16
Item_UOM	m

Measurements

Outer Diameter_do	16
Wall thickness_s	2,0

Packaging

Packaging GTIN PL1	06414905480944
Packaging GTIN PL4	06414905480951
Packaging Height PL1	310
Packaging Height PL4	2000
Packaging Length PL1	1140
Packaging Length PL4	1140
Packaging Quantity PL1	480
Packaging Quantity PL4	2400
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,402876
Packaging Volume PL4	2,5992
Packaging Weight PL1	56,1075
Packaging Weight PL4	291,0377
Packaging Width PL1	1140

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com