
Product data sheet



GF Uponor Ecoflex VIP Thermo Pipe Twin 2x32x2,9/140

1118581

- Heating and Cooling
- Two medium pipes PE-Xa wih oxygen barrier, SDR11
- Max. Load 6 bar / 95°C
- Coloured centre profil to avoid confusion of flow and return line
- VIP+PEX foam, HDPE casing



Application information GF Uponor Ecoflex VIP Thermo Pipe Twin

Specification

- Flexible, pre-insulated, self-compensating plastic pipe system produced based on EN 15632 and EN 17414.
- Medium pipe: cross-linked polyethylene (PE-Xa) pipe based on EN ISO 15875, natural colored, PN 6 (SDR 11), Oxygen tightness based on EN 15632
- Insulating material: Revolutionary insulation material with extremely low lambda value in combination with permanently elastic closed-cell PE-X foam
- Casing pipe: Corrugated polyethylene (HDPE)

Application


- Transport of heating and cooling water for buried installations.
- Heating operating temperature 80°C based on EN 15632
- Malfunction temperature 95°C
- Static verification for heavy traffic load of 60 tons

Certification

- Approvals should be checked by local responsible person

GF Uponor Ecoflex VIP Thermo Pipe Twin 2x32x2,9/140

1118581



Measurements

Bending radius M	0,5
Outer Diameter_do	140
Outer Diameter_do1	32
Outer Diameter_do2	32
Wall thickness_s1	2,9
Wall thickness_s2	2,9

Status

Item Available Till date	2027-06-30T00:00:00.000+0200

Product code

Item no EAN	6414905519101
Item no GF	35001118581
Item no GTIN	06414905519101
Item no LVI	3010243
Item no NRF	8360958
Item no RSK	2266368
Item no VVS	087808432
Item Replacement 1	1160611

Dimensions

Item Unit Height	140
Item Unit Length	1000
Item Unit Weight	1,91
Item Unit Width	140
Item_UOM	m

Packaging

Packaging GTIN PL1	06414905542550

Packaging Height PL1	2200
Packaging Length PL1	2200
Packaging Quantity PL1	200
Packaging Type PL1	Coil
Packaging Volume PL1	7,26
Packaging Weight PL1	383
Packaging Width PL1	1500

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+