


## Uponor S-Press PLUS sound + leak protect U 16-20

**1121194**

- Suitable for one Uponor S-Press PLUS U-tap elbows 16-Rp1/2"FT or 20-Rp1/2"FT
- Pins and screws M6 x 16 included
- Made of EPP
- Sound protection acc., VDI 4100
- Drainage function conform to DIN 18534



### Application information Uponor S-Press PLUS sound + leak protect U

#### Specification

- Unique press indicator
- Fast 3-step installation (press without bevel)
- Innovative QR code for immediate digital access
- Colour code
- Fixed press sleeve with inspection window
- Precise jaw fixation
- Fast diameter recognition
- Accurate test safety function
- 100% backward compatible with existing Uponor components
- Flow rate optimized fitting body

#### Application

- Tap water: The permanent operating temperature ranges from 0°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.
- Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.

if not different mentioned:

- Male and female threads acc.to EN 10226-1.

#### Certification


- Approvals by local OM.

E.g.

- DVGW
- AENOR

## Uponor S-Press PLUS sound + leak protect U 16-20

1121194



### Product code

Item no EAN	6414905641536
Item no GF	35001121194
Item no GTIN	06414905641536

### Dimensions

Item Unit Height	104.5
Item Unit Length	73.5
Item Unit Weight	0,0314
Item Unit Width	79
Item_UOM	pce

### Measurements

Length (l1)	23
Length (l2)	70,5
Z Measurement k	45
z1	3

### Packaging

Packaging GTIN PL1	06414905662623
Packaging GTIN PL4	06414905663910
Packaging Height PL1	89
Packaging Height PL4	678
Packaging Length PL1	135
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL4	384
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,001045305
Packaging Volume PL4	0,65088

Packaging Weight PL1	0,033
Packaging Weight PL4	37,7
Packaging Width PL1	87
Packaging Width PL4	800

## Documents

Page with all documents 

### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)