


Uponor Magna manifold segment with valve Euro 1x3/4 Euro

1121532

- For connection with additional segments and basic kit
- Supply-segment with control valves for preadjustment and heating loop connection for G3/4 eurocone
- Return-segment with thermostat upper section incl. cap for locking
- Uponor actuator can be mounted directly on the return
- Heating loop connection for G3/4 eurocone



Application information Uponor Magna manifold segment with valve Euro

Specification


- Magna industrial heating system
- Loops 2-5 6-9 10-14 15-19 20
- Bracket 2 3 4 5 6
- Spacing outlet 100 mm

Application

- industrial and commercial large surface heating
- for use inside concrete
- max. 20 loops
- max. pressure: 6 bar at 60°C

Uponor Magna manifold segment with valve Euro 1x3/4 Euro

1121532



Measurements

Cylindric_thread_G	3/4
LENGTH_L	125
Length (I1)	100
Length (I2)	62
Length (I3)	64
Z Measurement b	100
Z3	51,5

Product code

Item no EAN	6414905660377
Item no GF	35001121532
Item no GTIN	06414905660377
Item no LVI	2022183
Item no NRF	8601849

Dimensions

Item Unit Height	56
Item Unit Length	100
Item Unit Weight	0,402
Item Unit Width	370
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905663132
Packaging GTIN PL2	06414905663170
Packaging GTIN PL4	06414905663385
Packaging Height PL1	56
Packaging Height PL2	200
Packaging Height PL4	900
Packaging Length PL1	100

Packaging Length PL2	520
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	10
Packaging Quantity PL4	210
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,002072
Packaging Volume PL2	0,02288
Packaging Volume PL4	0,864
Packaging Weight PL1	0,405
Packaging Weight PL2	4,36
Packaging Weight PL4	116,56
Packaging Width PL1	370
Packaging Width PL2	220
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

E
communications@georgfischer.
com