


## Uponor Magna manifold segment with valve 2x25

**1121536**

- For connection with additional segments and basic kit
- Supply-segment with control valves for preadjustment
- Return-segment with thermostat upper section incl. cap for locking
- Uponor actuator can be mounted directly on the return
- Heating loop connection for PE-Xa Pipe 25x2,3 with compression adapter



### Application information Uponor Magna manifold segment with valve

#### Specification


- Magna industrial heating system
- Loops 2-5 6-9 10-14 15-19 20
- Bracket 2 3 4 5 6
- Spacing outlet 100 mm

#### Application

- industrial and commercial large surface heating
- for use inside concrete
- max. 20 loops
- max. pressure: 6 bar at 60°C

## Uponor Magna manifold segment with valve 2x25

1121536



### Product code

Item no EAN	6414905660414
Item no GF	35001121536
Item no GTIN	06414905660414
Item no LVI	2022189
Item no NRF	8601847
Item no RSK	2989121
Item no VVS	046253211

### Dimensions

Item Unit Height	169
Item Unit Length	226
Item Unit Weight	1,322
Item Unit Width	112
Item_UOM	pce

### Measurements

LENGTH_L	225
Length (l1)	200
Length (l2)	62
Length (l3)	51
Z Measurement b	100
Z3	51

### Packaging

Packaging GTIN PL1	06414905663149
Packaging GTIN PL4	06414905663446
Packaging Height PL1	175
Packaging Height PL4	900
Packaging Length PL1	235
Packaging Length PL4	1200

Packaging Quantity PL1	1
Packaging Quantity PL4	90
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,004935
Packaging Volume PL4	0,864
Packaging Weight PL1	1,392
Packaging Weight PL4	149,28
Packaging Width PL1	120
Packaging Width PL4	800

## Documents

Page with all documents 

### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211  
E  
communications@georgfischer.  
com