
Product data sheet



GF Uponor Q&E coupling LF 20x20

1126790

- Made of lead free brass acc. to A5G4 of NCC 2022
- Watermark approved
- Note: Q&E ring must be ordered separately



Application information GF Uponor Q&E coupling LF

Specification


- Q&E fittings and rings for Uponor Pex pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- Q&E rings must be ordered separately if not different mentioned

Application

if not different mentioned:
- Male and female threads acc.to EN 10226-1.

GF Uponor Q&E coupling LF 20x20

1126790



Product code

Item no EAN	6414905672615
Item no GF	35001126790
Item no GTIN	06414905672615

Dimensions

Item Unit Height	25.5
Item Unit Length	47
Item Unit Weight	0,053
Item Unit Width	25.5
Item_UOM	pce

Measurements

LENGTH_L	47
Length (l1)	22
Length (l2)	22
Z	3

Packaging

Packaging GTIN PL1	06414900305037
Packaging GTIN PL3	06414900306386
Packaging GTIN PL4	06414900371896
Packaging Height PL1	26
Packaging Height PL3	170
Packaging Height PL4	680
Packaging Length PL1	80
Packaging Length PL3	320
Packaging Length PL4	1200
Packaging Material (number) PL1	4

Packaging Material (number) PL3	20
Packaging Material PL1	Low density polyethylene
Packaging Material PL3	Corrugated fibreboard
Packaging Material (short) PL1	LDPE
Packaging Material (short) PL3	PAP
Packaging Quantity PL1	5
Packaging Quantity PL3	250
Packaging Quantity PL4	13500
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0001664
Packaging Volume PL3	0,01088
Packaging Volume PL4	0,816
Packaging Weight PL1	0,315
Packaging Weight PL3	15,85
Packaging Weight PL4	880,9
Packaging Width PL1	80
Packaging Width PL3	200
Packaging Width PL4	1000

Technical data

Recycling Text Block PL1	Low density polyethylene
Recycling Text Block PL3	Corrugated fibreboard

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+