


## Uponor Q&E tee reducer LF 25x16x25

1126805

- Made of lead free brass acc. to A5G4 of NCC 2022
- Watermark approved
- Note: Q&E ring must be ordered separately



### Application information Uponor Q&E tee reducer LF

#### Specification

- Q&E fittings and rings for Uponor Pex pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- Q&E rings must be ordered separately if not different mentioned


#### Application

if not different mentioned:

- Male and female threads acc.to EN 10226-1.

## Uponor Q&E tee reducer LF 25x16x25

1126805



### Product code

Item no EAN	6414905672776
Item no GF	35001126805
Item no GTIN	06414905672776

### Dimensions

Item Unit Height	29
Item Unit Length	86
Item Unit Weight	0,15
Item Unit Width	46.5
Item_UOM	pce

### Measurements

Length (l1)	43
Length (l2)	32
Length (l3)	43
z1	16
Z2	14
Z3	16

### Technical data

Recycling Text Block PL1	Low density polyethylene
Recycling Text Block PL3	Corrugated fibreboard

### Packaging

Packaging GTIN PL1	06414900305310
Packaging GTIN PL3	06414900322225
Packaging GTIN PL4	06414900379915
Packaging Height PL1	29
Packaging Height PL3	170
Packaging Height PL4	680
Packaging Length PL1	150

Packaging Length PL3	320
Packaging Length PL4	1200
Packaging Material (number) PL1	4
Packaging Material (number) PL3	20
Packaging Material PL1	Low density polyethylene
Packaging Material PL3	Corrugated fibreboard
Packaging Material (short) PL1	LDPE
Packaging Material (short) PL3	PAP
Packaging Quantity PL1	5
Packaging Quantity PL3	70
Packaging Quantity PL4	3780
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000522
Packaging Volume PL3	0,01088
Packaging Volume PL4	0,816
Packaging Weight PL1	0,75
Packaging Weight PL3	10,7
Packaging Weight PL4	603
Packaging Width PL1	120
Packaging Width PL3	200
Packaging Width PL4	1000

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)