


## Uponor Q&E adapter female LF 20xRp1" BSP

**1126812**

- Made of lead free brass acc. to A5G4 of NCC 2022
- Watermark approved
- Note: Q&E ring must be ordered separately



### Application information Uponor Q&E adapter female LF

#### Specification

- Q&E fittings and rings for Uponor Pex pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- Q&E rings must be ordered separately if not different mentioned



#### Application

if not different mentioned:

- Male and female threads acc.to EN 10226-1.

## Uponor Q&E adapter female LF 20xRp1" BSP

1126812



### Measurements

Female thread Rp	1
LENGTH_L	48,5
Length (l1)	22
Length (l2)	22
z1	4,5

### Product code

Item no EAN	6414905672905
Item no GF	35001126812
Item no GTIN	06414905672905

### Dimensions

Item Unit Height	38
Item Unit Length	43.5
Item Unit Weight	0,0111
Item Unit Width	41
Item_UOM	pce

### Technical data

Recycling Text Block PL1	Low density polyethylene
Recycling Text Block PL3	Corrugated fibreboard

### Packaging

Packaging GTIN PL1	06414900305471
Packaging GTIN PL3	06414900322287
Packaging GTIN PL4	06414900379960
Packaging Height PL1	38
Packaging Height PL3	170
Packaging Height PL4	680
Packaging Length PL1	100
Packaging Length PL3	320

Packaging Length PL4	1200
Packaging Material (number) PL1	4
Packaging Material (number) PL3	20
Packaging Material PL1	Low density polyethylene
Packaging Material PL3	Corrugated fibreboard
Packaging Material (short) PL1	LDPE
Packaging Material (short) PL3	PAP
Packaging Quantity PL1	5
Packaging Quantity PL3	80
Packaging Quantity PL4	4320
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00038
Packaging Volume PL3	0,01088
Packaging Volume PL4	0,816
Packaging Weight PL1	0,555
Packaging Weight PL3	11,9
Packaging Weight PL4	668
Packaging Width PL1	100
Packaging Width PL3	200
Packaging Width PL4	1000

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)