


## Uponor Q&E adaper swivel nut LF 20x3/4" BSP

1126823

- Made of lead free brass acc. to A5G4 of NCC 2022
- Watermark approved
- Note: Q&E ring must be ordered separately



### Application information Uponor Q&E adaper swivel nut LF

#### Specification

- Q&E fittings and rings for Uponor Pex pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- Q&E rings must be ordered separately if not different mentioned


#### Application

if not different mentioned:

- Male and female threads acc.to EN 10226-1.

## Uponor Q&E adaper swivel nut LF 20x3/4" BSP

1126823



### Measurements

Cylindric_thread_G	3/4
LENGTH_L	40,5
Length (l1)	8,5
Length (l2)	22
z1	10

### Product code

Item no EAN	6414905672875
Item no GF	35001126823
Item no GTIN	06414905672875

### Dimensions

Item Unit Height	31
Item Unit Length	38
Item Unit Weight	0,074
Item Unit Width	33
Item_UOM	pce

### Technical data

Recycling Text Block PL1	Low density polyethylene
Recycling Text Block PL3	Corrugated fibreboard

### Packaging

Packaging GTIN PL1	06414900305792
Packaging GTIN PL3	06414900307086
Packaging GTIN PL4	06414900372046
Packaging Height PL1	31
Packaging Height PL3	170
Packaging Height PL4	680
Packaging Length PL1	100
Packaging Length PL3	320

Packaging Length PL4	1200
Packaging Material (number) PL1	4
Packaging Material (number) PL3	20
Packaging Material PL1	Low density polyethylene
Packaging Material PL3	Corrugated fibreboard
Packaging Material (short) PL1	LDPE
Packaging Material (short) PL3	PAP
Packaging Quantity PL1	5
Packaging Quantity PL3	200
Packaging Quantity PL4	10800
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00031
Packaging Volume PL3	0,01088
Packaging Volume PL4	0,816
Packaging Weight PL1	0,37
Packaging Weight PL3	15,2
Packaging Weight PL4	846
Packaging Width PL1	100
Packaging Width PL3	200
Packaging Width PL4	1000

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)