
Product data sheet




GF Uponor Q&E tap elbow LF 20x3/4" BSP

1126830

- Made of lead free brass acc. to A5G4 of NCC 2022
- Watermark approved
- Note: Q&E ring must be ordered separately





Application information GF Uponor Q&E tap elbow LF

Specification


- Q&E fittings and rings for Uponor Pex pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- Q&E rings must be ordered separately if not different mentioned


Application

if not different mentioned:
- Male and female threads acc.to EN 10226-1.

GF Uponor Q&E tap elbow LF 20x3/4" BSP

1126830





Measurements

Female thread Rp	3/4
Length (l1)	44
Length (l2)	15
Length (l3)	26,5
Z Measurement k	40
z1	22
Z3	8

Product code

Item no EAN	6414905673148
Item no GF	35001126830
Item no GTIN	06414905673148

Dimensions

Item Unit Height	40.5
Item Unit Length	69
Item Unit Weight	0,137
Item Unit Width	50
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900305860
Packaging GTIN PL3	06414900322379
Packaging GTIN PL4	06414900380096
Packaging Height PL1	41
Packaging Height PL3	170
Packaging Height PL4	680
Packaging Length PL1	120

Packaging Length PL3	320
Packaging Length PL4	1200
Packaging Material (number) PL1	4
Packaging Material (number) PL3	20
Packaging Material PL1	Low density polyethylene
Packaging Material PL3	Corrugated fibreboard
Packaging Material (short) PL1	LDPE
Packaging Material (short) PL3	PAP
Packaging Quantity PL1	5
Packaging Quantity PL3	80
Packaging Quantity PL4	4320
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0005904
Packaging Volume PL3	0,01088
Packaging Volume PL4	0,816
Packaging Weight PL1	0,735
Packaging Weight PL3	11,86
Packaging Weight PL4	665,44
Packaging Width PL1	120
Packaging Width PL3	200
Packaging Width PL4	1000

Technical data

Recycling Text Block PL1	Low density polyethylene
Recycling Text Block PL3	Corrugated fibreboard

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+