

Uponor Base controller H/C pump X-80 10x 230V


1138350

- Controller with autobalance function for 230V standard wiring
- supports up to 10 thermostats (230V)
- supports up to 12 actuators (230V) which can be fully flexible assigned
- noiseless actuator switching
- supports heating and cooling application
- autobalancing in heating optimises energy use and comfort
- switch to enable/disable the autobalance function
- pump and boiler relay
- time limit by-pass with autobalance
- inputs: heating/cooling switch, condensation, day/night switch.
- 4 wires for thermostat connection
- works with 3 wires thermostat (2 wires for power supply 230 V, 1 output 230 V demand) and 4 wires thermostat for full functionality (day/night signal)
- connection terminals for thermostat/actuator 0,13 ... 1,5 mm²
- overload protection
- protection class: IP20

- Note: for cooling condensation set S-80 is recommended

- Consisting of:

- Uponor Base controller X-80
- without power cable
- mounting material, DIN rail included



Application information Uponor Base controller H/C pump X-80

Specification

- 230V standard wiring
- common wiring method and controls logic
- easy integration to standard on/off time control
- optional: pump logic

Application


- wired room temperature control for radiant heating

Certification

- CE, UKCA

Uponor Base controller H/C pump X-80 10x 230V

1138350



Status

Item Available From date

2024-01-01

Product code

Item no EAN 6414900371087

Item no GF 35001138350

Item no GTIN 06414900371087

Item no LVI 2022278

Dimensions

Item Unit Height 56

Item Unit Length 365

Item Unit Weight 0,586

Item Unit Width 90

Item_UOM pce

Measurements

LENGTH_L 365

Z Measurement h 56

Z Measurement w 90

Packaging

Packaging GTIN PL1 06414900380300

Packaging GTIN PL2 06414900383882

Packaging GTIN PL4 06414900383943

Packaging Height PL1 63

Packaging Height PL2 200

Packaging Height PL4 944

Packaging Length PL1 399

Packaging Length PL2 400

Packaging Length PL4 1200

Packaging Quantity PL1 1

| | |
|------------------------|------------|
| Packaging Quantity PL2 | 6 |
| Packaging Quantity PL4 | 192 |
| Packaging Type PL1 | Base_Box |
| Packaging Type PL2 | Medium_Box |
| Packaging Type PL4 | Pallet |
| Packaging Volume PL1 | 0,00351918 |
| Packaging Volume PL2 | 0,024 |
| Packaging Volume PL4 | 0,90624 |
| Packaging Weight PL1 | 0,847 |
| Packaging Weight PL2 | 5,585 |
| Packaging Weight PL4 | 203,720 |
| Packaging Width PL1 | 140 |
| Packaging Width PL2 | 300 |
| Packaging Width PL4 | 800 |

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

E
communications@georgfischer.
com