

Uponor Base condensation set S-80 230V

1140221

- Condensation set suited for condensation control

- Functions:


- evaluates received dew point information and activates integrated contact when dew point is reached
- supports up to 5 dew point sensors
- sensor suited for installation in plastered ceilings/walls or cold-water pipe conduits
- recommended condensation set for X-80 for cooling applications

- Options:

- installation on external DIN rail
- operating voltage: 230V / 50-60 Hz

- Consisting of:

- 230V converter dew point
- Sensor dew point



Application information Uponor Base condensation set S-80

Specification

- 230V standard wiring
- common wiring method and controls logic
- easy integration to standard on/off time control
- optional: pump logic

Application


- wired room temperature control for radiant heating

Certification

- CE, UKCA

Uponor Base condensation set S-80 230V

1140221



Status

Item Available From date 2024-01-01

Product code

Item no EAN	6414900438551
Item no GF	35001140221
Item no GTIN	06414900438551
Item no LVI	2022279

Dimensions

Item Unit Height	51
Item Unit Length	135
Item Unit Weight	0,193
Item Unit Width	100
Item_UOM	pce

Measurements

LENGTH_L	135
Z Measurement h	51
Z Measurement w	100

Packaging

Packaging GTIN PL1	06414900383950
Packaging GTIN PL2	06414900383967
Packaging Height PL1	86
Packaging Height PL2	155
Packaging Length PL1	145
Packaging Length PL2	495
Packaging Quantity PL1	1
Packaging Quantity PL2	20
Packaging Type PL1	Base_Box
Packaging Type PL2	Medium_Box

Packaging Volume PL1	0,001247
Packaging Volume PL2	0,0352935
Packaging Weight PL1	0,250
Packaging Weight PL2	5,500
Packaging Width PL1	100
Packaging Width PL2	460

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com