
# Product data sheet




# GF Uponor Vario S manifold LS 2xG3/4 Euro - G1

## 1140863

- Supply beam with lock shield valves for balancing and shutoff
- Return beam with valves for shutoff, with hand caps






## Application information GF Uponor Vario S manifold LS

### Specification


- Made of stainless steel
- With integrated valves
- Connection right or left with flat sealing
- Integrated airvents and fill&drain points in supply and return,
- Loop connection G3/4" eurocone
- Loop pitch 50 mm
- Header pitch 215 mm


### Application

- For underfloor-heating and -cooling
- Applicable with actuators 1141676 (230V) and 1141677 (24V)
- Max. pressure: 6 bar at 60°C

# GF Uponor Vario S manifold LS 2xG3/4 Euro - G1

## 1140863






### Status

| | |
|---|---|
| Item Available From date | 2024-04-01 |

### Product code

| | |
|---|---|
| Item no EAN | 6414900440707 |
| Item no GF | 35001140863 |
| Item no GTIN | 06414900440707 |
| Item no LVI | 2022246 |
| Item no NRF | 8361372 |
| Item no VVS | 046230102 |

### Dimensions

| | |
|---|---|
| Item Unit Height | 40 |
| Item Unit Length | 210 |
| Item Unit Weight | 1,7 |
| Item Unit Width | 235 |
| Item_UOM | pce |

### Measurements

| | |
|---|---|
| Length (l1) | 214 |
| Length (l2) | 87 |
| Z Measurement b | 50 |
| Z Measurement b1 | 217 |
| Z Measurement h | 73 |
| Z Measurement h1 | 30 |
| Z Measurement h2 | 50 |
| Z Measurement k | 135 |
| Z Measurement k1 | 336 |
| Z Measurement w | 357 |

## Packaging

| | |
|---|---|
| Packaging GTIN PL1 | 06414900500876 |
| Packaging GTIN PL4 | 06414900501361 |
| Packaging Height PL1 | 47 |
| Packaging Height PL4 | 996 |
| Packaging Length PL1 | 570 |
| Packaging Length PL4 | 1200 |
| Packaging Quantity PL1 | 1 |
| Packaging Quantity PL4 | 108 |
| Packaging Type PL1 | Base_Box |
| Packaging Type PL4 | Pallet |
| Packaging Volume PL1 | 0,00584022 |
| Packaging Volume PL4 | 0,95616 |
| Packaging Weight PL1 | 2,1 |
| Packaging Weight PL4 | 252 |
| Packaging Width PL1 | 218 |
| Packaging Width PL4 | 800 |

## Documents

Page with all documents

# Excellence in Flow

Visit our webpage to get in contact with your local specialist:
**www.georgfischer.com/locations**



**Uponor Corporation**

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+