


Uponor Vario S manifold LS 3xG3/4 Euro - G1

1140864

- Supply beam with lock shield valves for balancing and shutoff
- Return beam with valves for shutoff, with hand caps



Application information Uponor Vario S manifold LS

Specification


- Made of stainless steel
- With integrated valves
- Connection right or left with flat sealing
- Integrated airvents and fill&drain points in supply and return,
- Loop connection G3/4" eurocone
- Loop pitch 50 mm
- Header pitch 215 mm

Application

- For underfloor-heating and -cooling
- Applicable with actuators 1141676 (230V) and 1141677 (24V)
- Max. pressure: 6 bar at 60°C

Uponor Vario S manifold LS 3xG3/4 Euro - G1

1140864



Status

Item Available From date

2024-04-01

Product code

| | |
|--------------|----------------|
| Item no EAN | 6414900440714 |
| Item no GF | 35001140864 |
| Item no GTIN | 06414900440714 |
| Item no LVI | 2022247 |
| Item no NRF | 8361373 |
| Item no VVS | 046230103 |

Dimensions

| | |
|------------------|-----|
| Item Unit Height | 40 |
| Item Unit Length | 260 |
| Item Unit Weight | 2,7 |
| Item Unit Width | 235 |
| Item_UOM | pce |

Measurements

| | |
|------------------|-----|
| Length (l1) | 264 |
| Length (l2) | 87 |
| Z Measurement b | 50 |
| Z Measurement b1 | 217 |
| Z Measurement h | 73 |
| Z Measurement h1 | 30 |
| Z Measurement h2 | 50 |
| Z Measurement k | 185 |
| Z Measurement k1 | 336 |
| Z Measurement w | 357 |

Packaging

Packaging GTIN PL1

06414900500883

| | |
|------------------------|----------------|
| Packaging GTIN PL4 | 06414900501378 |
| Packaging Height PL1 | 47 |
| Packaging Height PL4 | 996 |
| Packaging Length PL1 | 570 |
| Packaging Length PL4 | 1200 |
| Packaging Quantity PL1 | 1 |
| Packaging Quantity PL4 | 108 |
| Packaging Type PL1 | Base_Box |
| Packaging Type PL4 | Pallet |
| Packaging Volume PL1 | 0,00584022 |
| Packaging Volume PL4 | 0,95616 |
| Packaging Weight PL1 | 2,8 |
| Packaging Weight PL4 | 327 |
| Packaging Width PL1 | 218 |
| Packaging Width PL4 | 800 |

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com