


## Uponor Vario retrofit actuator NC FT 24V 1W IP54

1141681

- incl. 4 bayonet manifold valve adaptor rings, mounting instructions
- compatible to Vario B WGF and 80% of existing third-party manifolds
- first open function,
- height: 61 mm + adaptor ring
- stroke length: 5mm
- connection cable: 2x 0.75mm<sup>2</sup>x1m



### Application information Uponor Vario retrofit actuator NC

#### Specification


- Components made of brass, nickel-plated brass, steel, and engineered plastics
- Eurocone, threaded, and flat-sealing connections
- Compatible with Vario B, C, S, M, PLUS, and MAGNA manifolds
- Includes valves, flowmeters, air vents, actuators, and adapters
- Designed for heating and cooling applications

#### Application

- Completion and extension of Vario manifold installations
- Flow regulation, balancing, and shut-off
- Connection of PEX, MLCP, and composite pipes
- Integration of actuators, sensors, and control units
- Commissioning, maintenance, and system optimization

## Uponor Vario retrofit actuator NC FT 24V 1W IP54

1141681



### Status

Item Available From date

2024-01-01

### Product code

Item no EAN	6414900383813
Item no GF	35001141681
Item no GTIN	06414900383813
Item no LVI	2022275
Item no NRF	8361392
Item no RSK	2973126
Item no VVS	466235624

### Dimensions

Item Unit Height	83
Item Unit Length	50
Item Unit Weight	0,19
Item Unit Width	50
Item_UOM	pce

### Measurements

Outer Diameter_do	50
Z Measurement h	83

### Packaging

Packaging GTIN PL1	06414900383875
Packaging GTIN PL2	06414900385435
Packaging GTIN PL4	06414900385459
Packaging Height PL1	89
Packaging Height PL2	250
Packaging Height PL4	1000
Packaging Length PL1	74
Packaging Length PL2	465

Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	100
Packaging Quantity PL4	1500
Packaging Type PL1	Base_Box
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0003293
Packaging Volume PL2	0,0365025
Packaging Volume PL4	0,96
Packaging Weight PL1	0,2
Packaging Weight PL2	21
Packaging Weight PL4	340
Packaging Width PL1	50
Packaging Width PL2	314
Packaging Width PL4	800

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)