


Uponor Smatrix wallframe T-2XY A-2XX

1144965

- Wallframe for Uponor Smatrix thermostats T-247 and T-267
- Color: white RAL9016



Application information Uponor Smatrix wallframe T-2XY A-2XX

Specification


- Pulse com module R-208 is compatible with Base controller Pulse X-245 and Wave controller Pulse X-265
- functions of the Smatrix Pulse system with Pulse com module R-208 are , e.g. up to 4 controllers in one system, relative humidity control, ceiling cooling control, app for mobile devices with installation wizard and intuitive user interface, on-site access for commissioning and service, remote access via app for internet connected systems *, Smatrix AI for energy savings in installations with heat pumps * , timer programming with app *, comfort settings, automatic software updates * (* function requires internet connected system)
- Relay module H/C (variants 230 VAC / 24 VDC) is compatible with Smatrix Pulse and Smatrix Base Pro.

Application

- Room temperature control for radiant heating and cooling
- App for mobile devices and cloud connectivity for Smatrix Pulse systems. Enables multi-controller installations, comfort settings, Smatrix AI, and many more
- Device interface to the heating/cooling source for changeover control

Uponor Smatrix wallframe T-2XY A-2XX

1144965



Status

Item Available From date 2025-04-01

Product code

Item no EAN	6414900389266
Item no GF	35001144965
Item no GTIN	06414900389266
Item no LVI	2022332
Item no NRF	1430887
Item no RSK	2984008
Item no VVS	466258070

Dimensions

Item Unit Height	12
Item Unit Length	90
Item Unit Weight	0,028
Item Unit Width	90
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900447423
Packaging GTIN PL3	06414900447454
Packaging GTIN PL4	06414900447485
Packaging Height PL1	12
Packaging Height PL3	300
Packaging Height PL4	1050
Packaging Length PL1	90
Packaging Length PL3	400
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	250

Packaging Quantity PL4	6000
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0000972
Packaging Volume PL3	0,036
Packaging Volume PL4	1,008
Packaging Weight PL1	0,03
Packaging Weight PL3	8,1
Packaging Weight PL4	214
Packaging Width PL1	90
Packaging Width PL3	300
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com