


Uponor Smart Aqua tap elbow Q&E PL 16-Rp1/2"FT l=43mm

1145641

- Brass Fitting
- Carton box packaging



Application information Uponor Smart Aqua tap elbow Q&E PL

Specification


- Termination boxes with elbows for waterproof pipe connections
- Watertight according to NT VVS 129
- Compatible with Uponor PE-Xa pipes and Uponor conduits
- Metal fittings made of high-quality DR brass
- Plastic fittings made of polyphenylsulphone (PPSU)
- PPM manifolds with bayonet threads
- Q&E rings included

Application

- Watertight potable water installations to prevent damage in case of leakage
- Installations requiring sealed connections between pipe and conduit
- Use in concealed wall, floor and cabinet installations
- Termination of pipes at taps, valves and connection points

Uponor Smart Aqua tap elbow Q&E PL 16-Rp1/2"FT l=43mm

1145641



Measurements

Female thread Rp	1/2
Length (l1)	32
Length (l2)	16,5
Length (l3)	26,5
Z Measurement k	36
z1	14
Z2	9,7

Status

Item Available From date	2025-01-01
--------------------------	------------

Product code

Item no EAN	6414900390798
Item no GF	35001145641
Item no GTIN	06414900390798

Dimensions

Item Unit Height	43
Item Unit Length	43
Item Unit Weight	0,102
Item Unit Width	48
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900445283
Packaging GTIN PL3	06414900447508
Packaging GTIN PL4	06414900447157
Packaging Height PL1	89
Packaging Height PL3	95
Packaging Height PL4	806
Packaging Length PL1	167

Packaging Length PL3	277
Packaging Length PL4	1200
Packaging Quantity PL1	10
Packaging Quantity PL3	40
Packaging Quantity PL4	3840
Packaging Type PL1	Base_Box
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000995821
Packaging Volume PL3	0,004710385
Packaging Volume PL4	0,77376
Packaging Weight PL1	1,06
Packaging Weight PL3	4,33
Packaging Weight PL4	440
Packaging Width PL1	67
Packaging Width PL3	179
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com