

GF Silenta premium pipe with single socket 58x3000mm

1146187

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta premium pipe with single socket

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta premium pipe with single socket 58x3000mm

1146187



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652132808
Item no GF	4401005801521
Item no GTIN	08698652132808
Item no VVS	186811300

Dimensions

Item Unit Height	58
Item Unit Length	3000
Item Unit Weight	3,5
Item Unit Width	58
Item_UOM	pce

Measurements

LENGTH_L	3000
Z Measurement e	4,1

Packaging

Packaging GTIN PL1	06414900553018
Packaging GTIN PL4	06414900118170
Packaging Height PL1	58
Packaging Height PL4	498
Packaging Length PL1	3000
Packaging Length PL4	325
Packaging Quantity PL1	1
Packaging Quantity PL4	114
Packaging Type PL1	Piece
Packaging Type PL4	Pallet
Packaging Volume PL1	0,010092

Packaging Volume PL4	0,01913067
Packaging Weight PL1	3,5
Packaging Weight PL4	412,42
Packaging Width PL1	58
Packaging Width PL4	118.2

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com