

GF Silenta Premium pipe with single socket 78-1000mm

1146200

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta Premium pipe with single socket

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta Premium pipe with single socket 78-1000mm

1146200



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652132860
Item no GF	4401007805321
Item no GTIN	08698652132860
Item no VVS	186812100

Dimensions

Item Unit Height	78
Item Unit Length	1000
Item Unit Weight	2,15
Item Unit Width	78
Item_UOM	pce

Measurements

LENGTH_L	1000
Z Measurement d	93,9
Z Measurement d1	78
Z Measurement e	4,6

Packaging

Packaging GTIN PL1	06414900552868
Packaging GTIN PL4	06414900277624
Packaging Height PL1	78
Packaging Height PL4	514
Packaging Length PL1	1000
Packaging Length PL4	1172
Packaging Quantity PL1	1
Packaging Quantity PL4	70
Packaging Type PL1	Piece

Packaging Type PL4	Pallet
Packaging Volume PL1	0,006084
Packaging Volume PL4	0,677106592
Packaging Weight PL1	2,15
Packaging Weight PL4	150,5
Packaging Width PL1	78
Packaging Width PL4	1124

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com