

GF Silenta premium pipe with single socket 78x1000mm

1146200

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta premium pipe with single socket

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta premium pipe with single socket 78x1000mm

1146200



Status

Item Available From date 2026-02-01

Product code

Item no EAN 8698652132860

Item no GF 4401007805321

Item no GTIN 08698652132860

Item no VVS 186812100

Dimensions

Item Unit Height 78

Item Unit Length 1000

Item Unit Weight 2,15

Item Unit Width 78

Item_UOM pce

Measurements

LENGTH_L 1000

Z Measurement e 4,6

Packaging

Packaging GTIN PL1 06414900552868

Packaging GTIN PL2 06414900277617

Packaging GTIN PL4 06414900277624

Packaging Height PL1 78

Packaging Height PL2 514

Packaging Height PL4 514

Packaging Length PL1 1000

Packaging Length PL2 1200

Packaging Length PL4 1172

Packaging Quantity PL1 1

Packaging Quantity PL2 70

Packaging Quantity PL4	70
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,006084
Packaging Volume PL2	0,6168
Packaging Volume PL4	0,677106592
Packaging Weight PL1	2,15
Packaging Weight PL2	150,5
Packaging Weight PL4	150,5
Packaging Width PL1	78
Packaging Width PL2	1000
Packaging Width PL4	1124

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com