

GF Silenta premium pipe with single socket 78x3000mm

1146202

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta premium pipe with single socket

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta premium pipe with single socket 78x3000mm

1146202



Status

Item Available From date 2026-02-01

Product code

Item no EAN 8698652132884

Item no GF 4401007805521

Item no GTIN 08698652132884

Item no VVS 186812300

Dimensions

Item Unit Height 78

Item Unit Length 3000

Item Unit Weight 5,711

Item Unit Width 78

Item_UOM pce

Measurements

LENGTH_L 3000

Z Measurement e 4,6

Packaging

Packaging GTIN PL1 06414900552905

Packaging GTIN PL2 06414900277570

Packaging GTIN PL4 06414900277587

Packaging Height PL1 78

Packaging Height PL2 514

Packaging Height PL4 540

Packaging Length PL1 3000

Packaging Length PL2 1200

Packaging Length PL4 1192

Packaging Quantity PL1 1

Packaging Quantity PL2 70

Packaging Quantity PL4	70
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,018252
Packaging Volume PL2	1,8504
Packaging Volume PL4	2,01085632
Packaging Weight PL1	5,711
Packaging Weight PL2	399,77
Packaging Weight PL4	399,77
Packaging Width PL1	78
Packaging Width PL2	3000
Packaging Width PL4	3124

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com