

GF Silenta Premium pipe with single socket 90-1000mm

1146214

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta Premium pipe with single socket

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta Premium pipe with single socket 90-1000mm

1146214



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652132945
Item no GF	4401009005321
Item no GTIN	08698652132945
Item no VVS	186813100

Dimensions

Item Unit Height	90
Item Unit Length	1000
Item Unit Weight	2,571
Item Unit Width	90
Item_UOM	pce

Measurements

LENGTH_L	1000
Z Measurement d	107,0
Z Measurement d1	90
Z Measurement e	4,7

Packaging

Packaging GTIN PL1	06414900552806
Packaging GTIN PL4	06414900277563
Packaging Height PL1	90
Packaging Height PL4	574
Packaging Length PL1	1000
Packaging Length PL4	1160
Packaging Quantity PL1	1
Packaging Quantity PL4	60
Packaging Type PL1	Piece

Packaging Type PL4	Pallet
Packaging Volume PL1	0,0081
Packaging Volume PL4	0,7523992
Packaging Weight PL1	2,571
Packaging Weight PL4	154,26
Packaging Width PL1	90
Packaging Width PL4	1130

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com