

GF Silenta premium pipe with single socket 90x3000mm

1146216

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta premium pipe with single socket

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta premium pipe with single socket 90x3000mm

1146216



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652132969
Item no GF	4401009005521
Item no GTIN	08698652132969
Item no VVS	186813300

Dimensions

Item Unit Height	90
Item Unit Length	3000
Item Unit Weight	6,638
Item Unit Width	90
Item_UOM	pce

Measurements

LENGTH_L	3000
Z Measurement e	4,7

Packaging

Packaging GTIN PL1	06414900552783
Packaging GTIN PL2	06414900277518
Packaging GTIN PL4	06414900277525
Packaging Height PL1	90
Packaging Height PL2	574
Packaging Height PL4	600
Packaging Length PL1	3000
Packaging Length PL2	1200
Packaging Length PL4	1180
Packaging Quantity PL1	1
Packaging Quantity PL2	60

Packaging Quantity PL4	60
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0243
Packaging Volume PL2	2,0664
Packaging Volume PL4	2,21604
Packaging Weight PL1	6,638
Packaging Weight PL2	398,28
Packaging Weight PL4	398,28
Packaging Width PL1	90
Packaging Width PL2	3000
Packaging Width PL4	3130

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com