

## GF Silenta Premium pipe with single socket 90-3000mm

**1146216**

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



### Application information GF Silenta Premium pipe with single socket

#### Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

#### Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

## GF Silenta Premium pipe with single socket 90-3000mm

1146216



### Status

Item Available From date 2026-02-01

### Product code

Item no EAN	8698652132969
Item no GF	4401009005521
Item no GTIN	08698652132969
Item no VVS	186813300

### Dimensions

Item Unit Height	90
Item Unit Length	3000
Item Unit Weight	6,638
Item Unit Width	90
Item_UOM	pce

### Measurements

LENGTH_L	3000
Z Measurement d	107,0
Z Measurement d1	90
Z Measurement e	4,7

### Packaging

Packaging GTIN PL1	06414900552783
Packaging GTIN PL4	06414900277525
Packaging Height PL1	90
Packaging Height PL4	600
Packaging Length PL1	3000
Packaging Length PL4	1180
Packaging Quantity PL1	1
Packaging Quantity PL4	60
Packaging Type PL1	Piece

Packaging Type PL4	Pallet
Packaging Volume PL1	0,0243
Packaging Volume PL4	2,21604
Packaging Weight PL1	6,638
Packaging Weight PL4	398,28
Packaging Width PL1	90
Packaging Width PL4	3130

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211  
E  
communications@georgfischer.  
com