

GF Silenta Premium pipe with single socket 110-1000mm

1146223

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta Premium pipe with single socket

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta Premium pipe with single socket 110-1000mm

1146223



Status

Item Available From date 2026-02-01

Product code

Item no EAN 8698652133003

Item no GF 4401011005321

Item no GTIN 08698652133003

Item no VVS 186814100

Dimensions

Item Unit Height 110

Item Unit Length 1000

Item Unit Weight 3,248

Item Unit Width 110

Item_UOM pce

Measurements

LENGTH_L 1000

Z Measurement d 128,9

Z Measurement d1 110

Z Measurement e 5,3

Packaging

Packaging GTIN PL1 06414900553025

Packaging GTIN PL4 06414900118163

Packaging Height PL1 110

Packaging Height PL4 564

Packaging Length PL1 1000

Packaging Length PL4 1180

Packaging Quantity PL1 1

Packaging Quantity PL4 40

Packaging Type PL1 Piece

Packaging Type PL4	Pallet
Packaging Volume PL1	0,0121
Packaging Volume PL4	0,75603072
Packaging Weight PL1	3,248
Packaging Weight PL4	129,92
Packaging Width PL1	110
Packaging Width PL4	1136

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com