

GF Silenta premium pipe with single socket 110x1000mm

1146223

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta premium pipe with single socket

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta premium pipe with single socket 110x1000mm

1146223



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652133003
Item no GF	4401011005321
Item no GTIN	08698652133003
Item no VVS	186814100

Dimensions

Item Unit Height	110
Item Unit Length	1000
Item Unit Weight	3,248
Item Unit Width	110
Item_UOM	pce

Measurements

LENGTH_L	1000
Z Measurement e	5,3

Packaging

Packaging GTIN PL1	06414900553025
Packaging GTIN PL4	06414900118163
Packaging Height PL1	110
Packaging Height PL4	564
Packaging Length PL1	1000
Packaging Length PL4	1180
Packaging Quantity PL1	1
Packaging Quantity PL4	40
Packaging Type PL1	Piece
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0121

Packaging Volume PL4	0,75603072
Packaging Weight PL1	3,248
Packaging Weight PL4	129,92
Packaging Width PL1	110
Packaging Width PL4	1136

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com