

## GF Silenta Premium pipe with single socket 110-2000mm

**1146224**

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



### Application information GF Silenta Premium pipe with single socket

#### Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

#### Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

## GF Silenta Premium pipe with single socket 110-2000mm

1146224



### Status

Item Available From date 2026-02-01

### Product code

Item no EAN	8698652133010
Item no GF	4401011005421
Item no GTIN	08698652133010
Item no VVS	186814200

### Dimensions

Item Unit Height	110
Item Unit Length	2000
Item Unit Weight	6,167
Item Unit Width	110
Item_UOM	pce

### Measurements

LENGTH_L	2000
Z Measurement d	128,9
Z Measurement d1	110
Z Measurement e	5,3

### Packaging

Packaging GTIN PL1	06414900553032
Packaging GTIN PL4	06414900118156
Packaging Height PL1	110
Packaging Height PL4	564
Packaging Length PL1	2000
Packaging Length PL4	1180
Packaging Quantity PL1	1
Packaging Quantity PL4	40
Packaging Type PL1	Piece

Packaging Type PL4	Pallet
Packaging Volume PL1	0,0242
Packaging Volume PL4	1,42155072
Packaging Weight PL1	6,167
Packaging Weight PL4	246,68
Packaging Width PL1	110
Packaging Width PL4	2136

## Documents

Page with all documents 

### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211  
E  
communications@georgfischer.  
com