

## GF Silenta Premium pipe with single socket 110-3000mm

**1146225**

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



### Application information GF Silenta Premium pipe with single socket

#### Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

#### Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

## GF Silenta Premium pipe with single socket 110-3000mm

1146225



### Status

Item Available From date 2026-02-01

### Product code

Item no EAN	8698652133027
Item no GF	4401011005521
Item no GTIN	08698652133027
Item no VVS	186814300

### Dimensions

Item Unit Height	110
Item Unit Length	3000
Item Unit Weight	9,101
Item Unit Width	110
Item_UOM	pce

### Measurements

LENGTH_L	3000
Z Measurement d	128,9
Z Measurement d1	110
Z Measurement e	5,3

### Packaging

Packaging GTIN PL1	06414900553049
Packaging GTIN PL4	06414900118149
Packaging Height PL1	110
Packaging Height PL4	590
Packaging Length PL1	3000
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL4	40
Packaging Type PL1	Piece

Packaging Type PL4	Pallet
Packaging Volume PL1	0,0363
Packaging Volume PL4	2,220288
Packaging Weight PL1	9,101
Packaging Weight PL4	364,04
Packaging Width PL1	110
Packaging Width PL4	3136

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211  
E  
communications@georgfischer.  
com