


GF Silenta premium pipe without socket 110x3000mm

1146227

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta premium pipe without socket

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta premium pipe without socket 110x3000mm

1146227



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652133249
Item no GF	4401011010021
Item no GTIN	08698652133249
Item no VVS	186804300

Dimensions

Item Unit Height	110
Item Unit Length	3000
Item Unit Weight	9,338
Item Unit Width	110
Item_UOM	pce

Measurements

LENGTH_L	3000
Z Measurement e	5,3

Packaging

Packaging GTIN PL1	06414900552745
Packaging GTIN PL2	06414900277358
Packaging GTIN PL4	06414900277365
Packaging Height PL1	110
Packaging Height PL2	563
Packaging Height PL4	590
Packaging Length PL1	3000
Packaging Length PL2	1200
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	40

Packaging Quantity PL4	40
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0363
Packaging Volume PL2	2,0268
Packaging Volume PL4	2,124
Packaging Weight PL1	9,338
Packaging Weight PL2	373,52
Packaging Weight PL4	373,52
Packaging Width PL1	110
Packaging Width PL2	3000
Packaging Width PL4	3000

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com