

GF Silenta Premium pipe with single socket 135-500mm

1146240

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta Premium pipe with single socket

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta Premium pipe with single socket 135-500mm

1146240



Status

Item Available From date

2026-02-01

Product code

Item no EAN 8698652133072

Item no GF 4401013506221

Item no GTIN 08698652133072

Item no VVS 186815050

Dimensions

Item Unit Height 135

Item Unit Length 500

Item Unit Weight 2,469

Item Unit Width 135

Item_UOM pce

Measurements

LENGTH_L 500

Z Measurement d 154,6

Z Measurement d1 135

Z Measurement e 5,3

Packaging

Packaging GTIN PL1 06414900555401

Packaging GTIN PL2 06414900340793

Packaging GTIN PL4 06414900213639

Packaging Height PL1 135

Packaging Height PL2 360

Packaging Height PL4 1200

Packaging Length PL1 500

Packaging Length PL2 590

Packaging Length PL4 1200

Packaging Quantity PL1	1
Packaging Quantity PL2	5
Packaging Quantity PL4	60
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0091125
Packaging Volume PL2	0,082836
Packaging Volume PL4	1,44
Packaging Weight PL1	2,469
Packaging Weight PL2	12,345
Packaging Weight PL4	173,14
Packaging Width PL1	135
Packaging Width PL2	390
Packaging Width PL4	1000

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com