

GF Silenta Premium pipe with single socket 135-1000mm

1146241

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta Premium pipe with single socket

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta Premium pipe with single socket 135-1000mm

1146241



Status

Item Available From date 2026-02-01

Product code

Item no EAN 8698652133089

Item no GF 4401013506321

Item no GTIN 08698652133089

Item no VVS 186815100

Dimensions

Item Unit Height 135

Item Unit Length 1000

Item Unit Weight 4,09

Item Unit Width 135

Item_UOM pce

Measurements

LENGTH_L 1000

Z Measurement d 154,6

Z Measurement d1 135

Z Measurement e 5,3

Packaging

Packaging GTIN PL1 06414900552509

Packaging GTIN PL4 06414900277501

Packaging Height PL1 135

Packaging Height PL4 529

Packaging Length PL1 1000

Packaging Length PL4 1160

Packaging Quantity PL1 1

Packaging Quantity PL4 24

Packaging Type PL1 Piece

Packaging Type PL4	Pallet
Packaging Volume PL1	0,018225
Packaging Volume PL4	0,70445872
Packaging Weight PL1	4,09
Packaging Weight PL4	98,16
Packaging Width PL1	135
Packaging Width PL4	1148

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com