

GF Silenta premium pipe with single socket 135x1000mm

1146241

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta premium pipe with single socket

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta premium pipe with single socket 135x1000mm

1146241



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652133089
Item no GF	4401013506321
Item no GTIN	08698652133089
Item no VVS	186815100

Dimensions

Item Unit Height	135
Item Unit Length	1000
Item Unit Weight	4,09
Item Unit Width	135
Item_UOM	pce

Measurements

LENGTH_L	1000
Z Measurement e	5,3

Packaging

Packaging GTIN PL1	06414900552509
Packaging GTIN PL2	06414900277495
Packaging GTIN PL4	06414900277501
Packaging Height PL1	135
Packaging Height PL2	529
Packaging Height PL4	529
Packaging Length PL1	1000
Packaging Length PL2	1200
Packaging Length PL4	1160
Packaging Quantity PL1	1
Packaging Quantity PL2	24

Packaging Quantity PL4	24
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,018225
Packaging Volume PL2	0,6348
Packaging Volume PL4	0,70445872
Packaging Weight PL1	4,09
Packaging Weight PL2	98,16
Packaging Weight PL4	98,16
Packaging Width PL1	135
Packaging Width PL2	1000
Packaging Width PL4	1148

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com