

## GF Silenta premium pipe with single socket 160x250mm

**1146252**

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



### Application information GF Silenta premium pipe with single socket

#### Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

#### Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

## GF Silenta premium pipe with single socket 160x250mm

1146252



### Status

Item Available From date 2026-02-01

### Product code

Item no EAN	8698652133126
Item no GF	4401016007121
Item no GTIN	08698652133126
Item no VVS	186816025

### Dimensions

Item Unit Height	160
Item Unit Length	250
Item Unit Weight	1,847
Item Unit Width	160
Item_UOM	pce

### Measurements

LENGTH_L	250
Z Measurement e	5,3

### Packaging

Packaging GTIN PL1	06414900601702
Packaging GTIN PL2	06414900340885
Packaging GTIN PL4	06414900213714
Packaging Height PL1	160
Packaging Height PL2	360
Packaging Height PL4	1200
Packaging Length PL1	250
Packaging Length PL2	590
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	6

Packaging Quantity PL4	72
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0064
Packaging Volume PL2	0,082836
Packaging Volume PL4	1,44
Packaging Weight PL1	1,847
Packaging Weight PL2	11,082
Packaging Weight PL4	157,984
Packaging Width PL1	160
Packaging Width PL2	390
Packaging Width PL4	1000

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)