

GF Silenta premium pipe with single socket 160x500mm

1146253

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta premium pipe with single socket

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta premium pipe with single socket 160x500mm

1146253



Status

Item Available From date 2026-02-01

Product code

Item no EAN 8698652133133

Item no GF 4401016007221

Item no GTIN 08698652133133

Item no VVS 186816050

Dimensions

Item Unit Height 160

Item Unit Length 500

Item Unit Weight 2,894

Item Unit Width 160

Item_UOM pce

Measurements

LENGTH_L 500

Z Measurement e 5,3

Packaging

Packaging GTIN PL1 06414900555135

Packaging GTIN PL2 06414900340892

Packaging GTIN PL4 06414900213721

Packaging Height PL1 160

Packaging Height PL2 360

Packaging Height PL4 1200

Packaging Length PL1 500

Packaging Length PL2 590

Packaging Length PL4 1200

Packaging Quantity PL1 1

Packaging Quantity PL2 4

Packaging Quantity PL4	48
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0128
Packaging Volume PL2	0,082836
Packaging Volume PL4	1,44
Packaging Weight PL1	2,894
Packaging Weight PL2	11,576
Packaging Weight PL4	163,912
Packaging Width PL1	160
Packaging Width PL2	390
Packaging Width PL4	1000

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com