

GF Silenta premium pipe with single socket 160x1000mm

1146254

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta premium pipe with single socket

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta premium pipe with single socket 160x1000mm

1146254



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652133140
Item no GF	4401016007321
Item no GTIN	08698652133140
Item no VVS	186816100

Dimensions

Item Unit Height	160
Item Unit Length	1000
Item Unit Weight	4,988
Item Unit Width	160
Item_UOM	pce

Measurements

LENGTH_L	1000
Z Measurement e	5,3

Packaging

Packaging GTIN PL1	06414900552424
Packaging GTIN PL2	06414900277433
Packaging GTIN PL4	06414900277440
Packaging Height PL1	160
Packaging Height PL2	604
Packaging Height PL4	604
Packaging Length PL1	1000
Packaging Length PL2	1200
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	21

Packaging Quantity PL4	21
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0256
Packaging Volume PL2	0,7248
Packaging Volume PL4	0,840768
Packaging Weight PL1	4,988
Packaging Weight PL2	104,748
Packaging Weight PL4	104,748
Packaging Width PL1	160
Packaging Width PL2	1000
Packaging Width PL4	1160

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com