

GF Silenta Premium pipe with single socket 160-2000mm

1146255

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta Premium pipe with single socket

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta Premium pipe with single socket 160-2000mm

1146255



Status

Item Available From date 2026-02-01

Product code

Item no EAN 8698652133157

Item no GF 4401016007421

Item no GTIN 08698652133157

Item no VVS 186816200

Dimensions

Item Unit Height 160

Item Unit Length 2000

Item Unit Weight 9,178

Item Unit Width 160

Item_UOM pce

Measurements

LENGTH_L 2000

Z Measurement d 183,2

Z Measurement d1 160

Z Measurement e 5,3

Packaging

Packaging GTIN PL1 06414900552448

Packaging GTIN PL4 06414900277426

Packaging Height PL1 160

Packaging Height PL4 604

Packaging Length PL1 2000

Packaging Length PL4 1200

Packaging Quantity PL1 1

Packaging Quantity PL4 21

Packaging Type PL1 Piece

Packaging Type PL4	Pallet
Packaging Volume PL1	0,0512
Packaging Volume PL4	1,565568
Packaging Weight PL1	9,178
Packaging Weight PL4	192,738
Packaging Width PL1	160
Packaging Width PL4	2160

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com