

GF Silenta Premium pipe with single socket 160-3000mm

1146256

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta Premium pipe with single socket

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta Premium pipe with single socket 160-3000mm

1146256



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652133164
Item no GF	4401016007521
Item no GTIN	08698652133164
Item no VVS	186816300

Dimensions

Item Unit Height	160
Item Unit Length	3000
Item Unit Weight	13,368
Item Unit Width	160
Item_UOM	pce

Measurements

LENGTH_L	3000
Z Measurement d	183,2
Z Measurement d1	160
Z Measurement e	5,3

Packaging

Packaging GTIN PL1	06414900552479
Packaging GTIN PL4	06414900277402
Packaging Height PL1	160
Packaging Height PL4	630
Packaging Length PL1	3000
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL4	21
Packaging Type PL1	Piece

Packaging Type PL4	Pallet
Packaging Volume PL1	0,0768
Packaging Volume PL4	2,38896
Packaging Weight PL1	13,368
Packaging Weight PL4	280,728
Packaging Width PL1	160
Packaging Width PL4	3160

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com