


GF Silenta premium pipe without socket 160x3000mm

1146257

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta premium pipe without socket

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta premium pipe without socket 160x3000mm

1146257



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652133263
Item no GF	4401016010021
Item no GTIN	08698652133263
Item no VVS	186806300

Dimensions

Item Unit Height	160
Item Unit Length	3000
Item Unit Weight	14,262
Item Unit Width	160
Item_UOM	pce

Measurements

LENGTH_L	3000
Z Measurement e	5,3

Packaging

Packaging GTIN PL1	06414900552486
Packaging GTIN PL2	06414900277334
Packaging GTIN PL4	06414900277341
Packaging Height PL1	160
Packaging Height PL2	604
Packaging Height PL4	630
Packaging Length PL1	3000
Packaging Length PL2	1200
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	21

Packaging Quantity PL4	21
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0768
Packaging Volume PL2	2,1744
Packaging Volume PL4	2,268
Packaging Weight PL1	14,262
Packaging Weight PL2	299,502
Packaging Weight PL4	299,502
Packaging Width PL1	160
Packaging Width PL2	3000
Packaging Width PL4	3000

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com