

GF Silenta Premium pipe with single socket 200-2000mm

1146264

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta Premium pipe with single socket

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta Premium pipe with single socket 200-2000mm

1146264



Status

Item Available From date 2026-02-01

Product code

Item no EAN 8698652133195

Item no GF 4401020008221

Item no GTIN 08698652133195

Item no VVS 186817200

Dimensions

Item Unit Height 200

Item Unit Length 2000

Item Unit Weight 13,9

Item Unit Width 200

Item_UOM pce

Measurements

LENGTH_L 2000

Z Measurement d 228,0

Z Measurement d1 200

Z Measurement e 6,2

Packaging

Packaging GTIN PL1 06414900553063

Packaging GTIN PL4 06414900118125

Packaging Height PL1 200

Packaging Height PL4 724

Packaging Length PL1 2000

Packaging Length PL4 1080

Packaging Quantity PL1 1

Packaging Quantity PL4 15

Packaging Type PL1 Piece

Packaging Type PL4	Pallet
Packaging Volume PL1	0,08
Packaging Volume PL4	1,7045856
Packaging Weight PL1	13,9
Packaging Weight PL4	208,5
Packaging Width PL1	200
Packaging Width PL4	2180

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com