

GF Silenta premium pipe with single socket 200x2000mm

1146264

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta premium pipe with single socket

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta premium pipe with single socket 200x2000mm

1146264



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652133195
Item no GF	4401020008221
Item no GTIN	08698652133195
Item no VVS	186817200

Dimensions

Item Unit Height	200
Item Unit Length	2000
Item Unit Weight	13,9
Item Unit Width	200
Item_UOM	pce

Measurements

LENGTH_L	2000
Z Measurement e	6,2

Packaging

Packaging GTIN PL1	06414900553063
Packaging GTIN PL4	06414900118125
Packaging Height PL1	200
Packaging Height PL4	724
Packaging Length PL1	2000
Packaging Length PL4	1080
Packaging Quantity PL1	1
Packaging Quantity PL4	15
Packaging Type PL1	Piece
Packaging Type PL4	Pallet
Packaging Volume PL1	0,08

Packaging Volume PL4	1,7045856
Packaging Weight PL1	13,9
Packaging Weight PL4	208,5
Packaging Width PL1	200
Packaging Width PL4	2180

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com