

GF Silenta premium pipe with single socket 200x3000mm

1146265

- Light gray, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta premium pipe with single socket

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta premium pipe with single socket 200x3000mm

1146265



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652133201
Item no GF	4401020008421
Item no GTIN	08698652133201
Item no VVS	186817300

Dimensions

Item Unit Height	200
Item Unit Length	3000
Item Unit Weight	20,389
Item Unit Width	200
Item_UOM	pce

Measurements

LENGTH_L	3000
Z Measurement e	6,2

Packaging

Packaging GTIN PL1	06414900552271
Packaging GTIN PL2	06414900277372
Packaging GTIN PL4	06414900277389
Packaging Height PL1	200
Packaging Height PL2	724
Packaging Height PL4	750
Packaging Length PL1	3000
Packaging Length PL2	1200
Packaging Length PL4	1100
Packaging Quantity PL1	1
Packaging Quantity PL2	15

Packaging Quantity PL4	15
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,12
Packaging Volume PL2	2,6064
Packaging Volume PL4	2,6235
Packaging Weight PL1	20,389
Packaging Weight PL2	305,835
Packaging Weight PL4	305,835
Packaging Width PL1	200
Packaging Width PL2	3000
Packaging Width PL4	3180

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com