


GF Silenta premium elbow 15deg 58mm

1146274

- Light gray, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta premium elbow 15deg

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta premium elbow 15deg 58mm

1146274



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652133287
Item no GF	4501105830021
Item no GTIN	08698652133287
Item no VVS	186835012

Dimensions

Item Unit Height	130
Item Unit Length	77
Item Unit Weight	0,214
Item Unit Width	80
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900600866
Packaging GTIN PL2	06414900198950
Packaging GTIN PL3	06414900341011
Packaging GTIN PL4	06414900213981
Packaging Height PL1	130
Packaging Height PL2	80
Packaging Height PL3	360
Packaging Height PL4	1200
Packaging Length PL1	77
Packaging Length PL2	308
Packaging Length PL3	390
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	4

Packaging Quantity PL3	40
Packaging Quantity PL4	960
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0008008
Packaging Volume PL2	0,0019712
Packaging Volume PL3	0,040716
Packaging Volume PL4	1,152
Packaging Weight PL1	0,214
Packaging Weight PL2	0,856
Packaging Weight PL3	8,56
Packaging Weight PL4	230,44
Packaging Width PL1	80
Packaging Width PL2	80
Packaging Width PL3	290
Packaging Width PL4	800

Measurements

Z Measurement e	4,1
-----------------	-----

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com