


## GF Silenta premium elbow 30deg 58mm

### 1146275

Light gray, PP-material with inorganic filler, according to EN 1451



## Application information GF Silenta premium elbow 30deg

### Specification

- It is manufactured with the latest generation of multilayer (three different layers) polypropylene technology according to the requirements of EN 1451, EN 13501 and EN 14366 standards. The pipe diameters range from 58 mm to 200 mm. The system also includes bases and fittings with additional accessories.

### Application

#### Applications:

Silenta Premium is suitable for various wastewater types and areas of use, including:

- Office buildings, schools, hospitals, hotels, residential buildings
- Sustainable/green buildings
- Industrial facilities (short- and long-term use)
- Domestic sewage and rainwater
- Wastewater from kitchens, bathrooms, laundry rooms, toilets, and similar spaces in households or equivalent facilities (e.g., hotels, retirement homes, sports centers, office buildings)

#### Commercial/Industrial Wastewater:

- For untreated wastewater containing harmful substances, verify chemical resistance of pipes, fittings, and gaskets using the Polypropylene Resistance List.

- Consult the manufacturer for final approval.

- Required details for assessment:


- Substance composition
- Concentration and pH values
- Quantities and flow rates
- Wastewater temperature

#### Concrete Installation Guidelines:

Silenta Premium can be embedded in concrete if manufacturer instructions are followed:

- Proper fastening and securing of pipes to prevent displacement (use claws, especially at direction changes)
- Allow for thermal expansion
- Seal sleeves with adhesive tape to prevent concrete ingress
- Perform leak test before pouring concrete
- Fill pipes with water to increase weight and prevent floating during concreting

## GF Silenta premium elbow 30deg 58mm 1146275



### Status

Item Available From date 2026-02-01

### Product code

Item no EAN	8698652133294
Item no GF	4501105830121
Item no GTIN	08698652133294
Item no VVS	186834012

### Dimensions

Item Unit Height	136
Item Unit Length	77
Item Unit Weight	0,226
Item Unit Width	92
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900600873
Packaging GTIN PL2	06414900198967
Packaging GTIN PL3	06414900341028
Packaging GTIN PL4	06414900213998
Packaging Height PL1	136
Packaging Height PL2	92
Packaging Height PL3	360
Packaging Height PL4	1200
Packaging Length PL1	77
Packaging Length PL2	308
Packaging Length PL3	390
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	4

Packaging Quantity PL3	40
Packaging Quantity PL4	960
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000963424
Packaging Volume PL2	0,002606912
Packaging Volume PL3	0,040716
Packaging Volume PL4	1,152
Packaging Weight PL1	0,226
Packaging Weight PL2	0,904
Packaging Weight PL3	9,04
Packaging Weight PL4	241,96
Packaging Width PL1	92
Packaging Width PL2	92
Packaging Width PL3	290
Packaging Width PL4	800

## Measurements

Z Measurement e	4,1
-----------------	-----

## Documents

Page with all documents



Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)