

## GF Silenta premium elbow 30deg 58mm

1146275

- Light gray, PP-material with inorganic filler, according to EN 1451



### Application information GF Silenta premium elbow 30deg

#### Specification


- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

#### Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

## GF Silenta premium elbow 30deg 58mm

1146275



### Status

Item Available From date 2026-02-01

### Product code

Item no EAN	8698652133294
Item no GF	4501105830121
Item no GTIN	08698652133294
Item no VVS	186834012

### Dimensions

Item Unit Height	136
Item Unit Length	77
Item Unit Weight	0,226
Item Unit Width	92
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900600873
Packaging GTIN PL2	06414900198967
Packaging GTIN PL3	06414900341028
Packaging GTIN PL4	06414900213998
Packaging Height PL1	136
Packaging Height PL2	92
Packaging Height PL3	360
Packaging Height PL4	1200
Packaging Length PL1	77
Packaging Length PL2	308
Packaging Length PL3	390
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	4

Packaging Quantity PL3	40
Packaging Quantity PL4	960
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000963424
Packaging Volume PL2	0,002606912
Packaging Volume PL3	0,040716
Packaging Volume PL4	1,152
Packaging Weight PL1	0,226
Packaging Weight PL2	0,904
Packaging Weight PL3	9,04
Packaging Weight PL4	241,96
Packaging Width PL1	92
Packaging Width PL2	92
Packaging Width PL3	290
Packaging Width PL4	800

## Measurements

Z Measurement e	4,1
-----------------	-----

## Documents

Page with all documents 

### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)