


GF Silenta premium elbow 45deg 58mm

1146276

- Light gray, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta premium elbow 45deg

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta premium elbow 45deg 58mm

1146276



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652133300
Item no GF	4501105830221
Item no GTIN	08698652133300
Item no VVS	186833012

Dimensions

Item Unit Height	140
Item Unit Length	77
Item Unit Weight	0,21
Item Unit Width	105
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900600897
Packaging GTIN PL2	06414900199025
Packaging GTIN PL3	06414900341035
Packaging GTIN PL4	06414900214001
Packaging Height PL1	140
Packaging Height PL2	105
Packaging Height PL3	360
Packaging Height PL4	1200
Packaging Length PL1	77
Packaging Length PL2	308
Packaging Length PL3	390
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	4

Packaging Quantity PL3	40
Packaging Quantity PL4	960
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0011319
Packaging Volume PL2	0,0033957
Packaging Volume PL3	0,040716
Packaging Volume PL4	1,152
Packaging Weight PL1	0,21
Packaging Weight PL2	0,84
Packaging Weight PL3	8,4
Packaging Weight PL4	226,6
Packaging Width PL1	105
Packaging Width PL2	105
Packaging Width PL3	290
Packaging Width PL4	800

Measurements

Z Measurement e	4,1
-----------------	-----

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com