

## GF Silenta premium elbow 30deg 78mm

1146285

- Light gray, PP-material with inorganic filler, according to EN 1451



### Application information GF Silenta premium elbow 30deg

#### Specification


- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

#### Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

## GF Silenta premium elbow 30deg 78mm

1146285



### Status

Item Available From date

2026-02-01

### Product code

Item no EAN	8698652133355
Item no GF	4501107830121
Item no GTIN	08698652133355
Item no VVS	186834013

### Dimensions

Item Unit Height	152
Item Unit Length	100
Item Unit Weight	0,355
Item Unit Width	115
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900600590
Packaging GTIN PL2	06414900199155
Packaging GTIN PL3	06414900341127
Packaging GTIN PL4	06414900214117
Packaging Height PL1	152
Packaging Height PL2	115
Packaging Height PL3	360
Packaging Height PL4	1200
Packaging Length PL1	100
Packaging Length PL2	400
Packaging Length PL3	390
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	4

Packaging Quantity PL3	24
Packaging Quantity PL4	576
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,001748
Packaging Volume PL2	0,00529
Packaging Volume PL3	0,040716
Packaging Volume PL4	1,152
Packaging Weight PL1	0,355
Packaging Weight PL2	1,42
Packaging Weight PL3	8,52
Packaging Weight PL4	229,48
Packaging Width PL1	115
Packaging Width PL2	115
Packaging Width PL3	290
Packaging Width PL4	800

## Measurements

Z Measurement e	4,6
-----------------	-----

## Documents

Page with all documents 

### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)